VOLUME 135, 1997

THE New Phytologist

Founded in 1902 by Sir Arthur Tansley F.R.S.

EDITED BY

I. J. Alexander	*Aberdeen*
P. G. Ayres[1]	*Lancaster*
D. Briggs	*Cambridge*
J. G. Duckett	*London*
J. F. Farrar	*Bangor*
A. H. Fitter[2]	*York*
J. R. Gallon	*Swansea*
E. Garnier	*Montpellier*
A. M. Hetherington[4]	*Lancaster*
T. A. Mansfield F.R.S.	*Lancaster*
F. Martin	*Nancy*
R. J. Norby	*Oak Ridge*
D. Sanders	*York*
D. P. Stribley[3]	*Lancaster*
H. Thomas	*Aberystwyth*
F. I. Woodward	*Sheffield*

Chairman of *The New Phytologist Trust*

D. H. Lewis	*Sheffield*

Advisors to *The New Phytologist Trust*

Sir John Burnett	*Oxford*
J. E. Dale	*Edinburgh*
Sir David Smith F.R.S.	*Oxford*
P. J. Syrett	*Swansea*
R. G. West F.R.S.	*Cambridge*
M. M. Yeoman	*Edinburgh*

[1]Executive Editor [2]Book Review Editor [3]Managing Editor and [4]Tansley Review Editor

BOARD OF ADVISORS TO THE EDITORS

W. Armstrong *Hull, UK*	J. M. Guehl *INRA, Nancy, F*	R. Munns *CSIRO, Canberra, AUS*
T. W. Ashenden *ITE, Bangor, UK*	W. Hartung *Wurzburg, D*	K. Percy *CFS, Fredericton, CAN*
A. E. Ashford *New South Wales, AUS*	R. Honegger *Zurich, CH*	R. L. Peterson *Guelph, CAN*
C. J. Atkinson *HRI, East Malling, UK*	K. Huss-Danell *SUAS, Umeå, S*	O. Petrini *Pharmaton, Lugano, CH*
D. J. Beerling *Sheffield, UK*	S. T. Jackson *Laramie, Wy, USA*	C. J. Pollock *IGER, Aberystwyth, UK*
K. Bennett *Cambridge, UK*	D. Janos *Miami, Fl, USA*	J. A. Raven, FRS *Dundee, UK*
B. Bergman *Stockholm, S*	J. W. Kadereit *JGU, Mainz, D*	D. J. Read, FRS *Sheffield, UK*
L. Boddy *Cardiff, UK*	G. Kerstiens *Lancaster, UK*	D. Robinson *SCRI, Dundee, UK*
B. Botton *INRA, Nancy, F*	M. Küppers *Darmstadt, D*	J. D. Scholes *Sheffield, UK*
S. J. M. Caporn *Manchester Met, UK*	K. Lindsey *Leicester, UK*	R. Sen *Helsinki, FI*
A. H. Chappelka *Auburn, Al, USA*	R. Lumaret *CNRS, Montpellier, F*	L. J. Sheppard *ITE, Bush, UK*
B. Dell *Murdoch, WA, AUS*	R. N. Mack *Pullman, Wa, USA*	R. J. Simpson *CSIRO, Canberra, AUS*
J. Dodd *IIB, Canterbury, UK*	T. Mae *Tohoku, J*	S. E. Smith *WARI, Adelaide, AUS*
D. Eissenstat *Penn, SU, PA, USA*	M. McCully *Ottawa, CAN*	B. Söderström *Lund, S*
C. Foyer *IGER, Aberystwyth, UK*	J. Medford *Penn. SCI, PA, USA*	G. R. Squire *SCRI, Dundee, UK*
J. H. Graham *Lake Alfred, Fl, USA*	P. R. Mills *HRI, Wellesbourne, UK*	G. Taylor *Sussex, UK*

Statistical advisor: P. W. Lane *IACR, Rothamsted, UK*

CAMBRIDGE UNIVERSITY PRESS

Cambridge University Press

The Edinburgh Building, Cambridge CB2 2RU, United Kingdom
40 West 20th Street, New York, NY 10011–4211, USA
10 Stamford Road, Oakleigh, Melbourne, 3166, Australia

© Trustees of *The New Phytologist* 1997
Printed in the United Kingdom by the University Press, Cambridge

CONTENTS

JANUARY 1997 VOLUME 135 NUMBER 1

Announcement i

Tansley Review No. 91

Differentiation, growth and morphogenesis: *Acetabularia* as a model system. By Thérèse Vanden Driessche, Ghislaine M. Petiau-de Vries and Jean-Luc Guisset 1

Root–soil contact for the desert succulent *Agave deserti* in wet and drying soil. By Gretchen B. North and Park S. Nobel 21

Responses to water stress in an ABA-unresponsive hybrid poplar (*Populus koreana* × *trichocarpa* cv. Peace). III. Consequences for photosynthetic carbon assimilation. By Michèle Ridolfi and Erwin Dreyer 31

A *stay-green* mutation of *Lolium perenne* affects NO_3^- uptake and translocation of N during prolonged N starvation. By Anne Kjersti Bakken, James MacDuff, Mervyn Humphreys and Neil Raistrick 41

The effect of the *slow-to-green* mutation on cell division during leaf initiation and early leaf growth in *Lolium temulentum*. By Lynne Moses, Helen J. Ougham and Dennis Francis 51

Leaf carbohydrate status in *Lolium temulentum* during the induction of flowering. By C. Périlleux and G. Bernier 59

The response of perennial ryegrass/white clover swards to elevated atmospheric CO_2 concentrations. 1. Effects on competition and species composition and interaction with N supply. By U. Schenk, H.-J. Jäger and H.-J. Weigel 67

An analysis of the balance between root and shoot activity in *Lolium perenne* cv. Melvina. Effects of CO_2 concentration and air temperature. By Ivan Nijs and Ivan Impens 81

Effects of ambient ozone on injury and yield of *Phaseolus vulgaris* at four rural sites in the Netherlands as assessed by using ethylenediurea (EDU). By A. E. G. Tonneijck and C. J. Van Dijk 93

Uptake and metabolism of sulphur dioxide by *Arabidopsis thaliana*. By T. A. W. Van der Kooij, L. J. de Kok, S. Haneklaus and E. Schnug 101

Functional leaf attributes predict litter decomposition rate in herbaceous plants. By J. H. C. Cornelissen and K. Thompson 109

Environmental factors and genotypic changes in lipids contribute to the winter hardiness of Norway spruce (*Picea abies*). By Alan R. Wellburn 115

Copper-binding proteins in ectomycorrhizal fungi. By Rebecca Howe, R. L. Evans and S. W. Ketteridge 123

The influence of nitrogen fertilization on the carbon economy of *Paxillus involutus* in ectomycorrhizal association with *Betula pendula*. By H. Ek 133

Variation in endophytic fungi from roots and leaves of *Lepanthes* (Orchidaceae). By Paul Bayman, Ligia L. Lebrón, Raymond L. Tremblay and D. Jean Lodge 143

Production of pectin-degrading enzymes by ericoid mycorrhizal fungi. By Silvia Perotto, Jean Daniel Coisson, Iolanda Perugini, Valeria Cometti and Paola Bonfante 151

Dissolved inorganic carbon utilization and the development of extracellular carbonic anhydrase by the marine diatom *Phaeodactylum tricornutum*. By M. D. Iglesias-Rodriguez and M. J. Merrett 163

Seed mass, habitat conditions and taxonomic relatedness: a re-analysis of Salisbury (1974). By C. K. Kelly 169

FEBRUARY 1997 VOLUME 135 NUMBER 2

Regulation of thiophene biosynthesis by sulphate in roots of marigolds. By R. R. J. Arroo, J. J. M. R. Jacobs, J. A. M. Van Gestel, H. Kenkel, W. Jannink, A. F. Croes and G. J. Wullems 175

Effects of potassium deficiency on cell water relations and elongation of tap and lateral roots of maritime pine seedlings. By Marie-Béatrice Triboulot, Jeremy Pritchard and Gérard Levy 183

Changes in rice root architecture, porosity, and oxygen and proton release under phosphorus deficiency. By G. J. D. Kirk and Le Van Du 191

Effects of elevated CO_2, nitrogen and phosphorus on the growth and photosynthesis of two upland perennials: *Calluna vulgaris* and *Pteridium aquilinum*. By S. J. Whitehead, S. J. M. Caporn and M. C. Press 201

The effect of NaCl on growth, dry matter allocation and ion uptake in salt marsh and inland populations of *Armeria maritima*. By Karin I. Köhl 213

Salinity tolerance in *Phillyrea* species. By R. Gucci, G. Aronne, L. Lombardini and M. Tattini 227

A fructan:fructan fructosyltransferase activity from *Lolium rigidum*. By J. A. St John, G. D. Bonnett, R. J. Simpson and G. J. Tanner 235

Identification of products formed by a fructan:fructan fructosyltransferase activity from *Lolium rigidum*. By J. A. St John, I. M. Sims, G. D. Bonnett and R. J. Simpson 249

Purification and characterization of invertases from leaves of *Lolium temulentum*. By R. P. Walker, A. L. Winters and C. J. Pollock 259

Seasonal variation of fructan-β-fructosidase (FEH) activity and characterization of a β-(2-1)-linkage specific FEH from tubers of Jerusalem artichoke (*Helianthus tuberosus*). By Stefan P. Marx, Josef Nösberger and Marco Frehner 267

Hydrolysis of fructan in grasses: a β-(2-6)-linkage specific fructan-β-fructosidase from stubble of *Lolium perenne*. By Stefan P. Marx, Josef Nösberger and Marco Frehner 279

Cloning plant genes differentially expressed during colonization of roots of *Hordeum vulgare* by the vesicular–arbuscular mycorrhizal fungus *Glomus intraradices*. By P. J. Murphy, P. Langridge and S. E. Smith 291

Effects of soil compaction on plant growth, phosphorus uptake and morphological characteristics of vesicular–arbuscular mycorrhizal colonization of *Trifolium subterraneum*. By H. Nadian, S. E. Smith, A. M. Alston and R. S. Murray 303

Characterization of the host genotype and fungal diversity in Scots pine ectomycorrhiza from natural humus microcosms using isozyme and PCR-RFLP analyses. By Sari Timonen, Hanna Tammi and Robin Sen 313

Involvement of the outer membrane lipopolysaccharides in the endophytic colonization of tomato roots by biocontrol *Pseudomonas fluorescens* strain WCS417r. By Ben J. Duijff, Vivienne Gianinazzi-Pearson and Philippe Lemanceau 325

Carbohydrate allocation patterns in citrus genotypes as affected by phosphorus nutrition, mycorrhizal colonization and mycorrhizal dependency. By J. H. Graham, L. W. Duncan and D. M. Eissenstat 335

Purification and characterization of β-1,4-endoxylanase from the ericoid mycorrhizal fungus *Hymenoscyphus ericae*. By R. M. Burke and J. W. G. Cairney 345

Uptake of ^{109}Cd by roots and hyphae of a *Glomus mosseae/Trifolium subterraneum* mycorrhiza from soil amended with high and low concentrations of cadmium. By E. J. Joner and C. Leyval 353

Growth of 27 herbs and grasses in relation to ozone exposure and plant strategy. By H. Pleijel and H. Danielsson 361

Evidence that ozone exposure increases the susceptibility of plants to natural frosting episodes. By J. P. Foot, S. J. M. Caporn, J. A. Lee and T. W. Ashenden 369

A comparative study of modern and fossil cone scales and seeds of conifers: a geochemical approach. By B. Arthur Stankiewicz, Maria Mastalerz, Michael A. Kruge, Pim F. Van Bergen and Anna Sadowska 375

MARCH 1997 VOLUME 135 NUMBER 3

Components of relative growth rate and their interrelations in 59 temperate plant species. By R. Hunt and J. H. C. Cornelissen 395

Salinity stress inhibits calcium loading into the xylem of excised barley (*Hordeum vulgare*) roots. By S. J. Halperin, L. V. Kochian and J. P. Lynch 419

A comparison of the vegetative growth of male-sterile and hermaphroditic lines of *Plantago lanceolata* in relation to N supply. By P. Poot, T. Van Den Broek, J. M. M. Van Damme and H. Lambers 429

Effects of long-term atmospheric CO_2 enrichment on the mineral concentration of *Citrus aurantium* leaves. By J. Peñuelas, S. B. Idso, A. Ribas and B. A. Kimball 439

Longevity of leaves of a tropical tree, *Theobroma cacao*, grown under shading, in relation to position within the canopy and time of emergence. By K.-I. Miyaji, W. S. Da Silva and P. D. T. Alvim 445

Effects of elevated atmospheric CO_2 and soil water availability on root biomass, root length, and N, P and K uptake by wheat. By M. M. I. Van Vuuren, D. Robinson, A. H. Fitter, S. D. Chasalow, L. Williamson and J. A. Raven 455

Polyamine synthesis and accumulation in the hypersensitive response to TMV in *Nicotiana tabacum*. By P. Torrigiani, A. L. Rabiti, C. Bortolotti, L. Betti, F. Marani, A. Canova and N. Bagni 467

Components of pathozone behaviour. By C. A. Gilligan and D. J. Bailey 475

Costs and benefits of mycorrhizal infection in a spring ephemeral, *Erythronium americanum*. By L. Lapointe and J. Molard 491

Epicuticular wax of subarctic Scots pine needles: response to sulphur and heavy metal deposition. By M. Turunen, S. Huttunen, K. E. Percy, C. K. McLaughlin and J. Lamppu 501

Growth, heterocyst differentiation and nitrogenase activity in the cyanobacteria *Anabaena variabilis* and *Anabaena cylindrica* in response to molybdenum and vanadium. By E. M. Attridge and P. Rowell 517

Effects of litter on substrate conditions and growth of emergent macrophytes. By W. H. Van Der Putten, B. A. M. Peters and M. S. Van Den Berg 527

Irradiance and nitrate-dependent variation in growth and biomass allocation of *Mycelis muralis*. An analysis of its significance for a functional categorization of 'sun' and 'shade' plants. By G. Clabby and B. A. Osborne 539

The late-glacial at Lac de Creno (Corsica, France): a key site in the western Mediterranean basin. By M. Reille, J. Gamisans, J.-L. de Beaulieu and V. Andrieu 547

Soil Mg and Ni as causal factors of plant occurrence and distribution at the Meikle Kilrannoch ultramafic site in Scotland. By L. Nagy and J. Proctor 561

Reviews 567

APRIL 1997 VOLUME 135 NUMBER 4

Functioning of mycorrhizal associations along the mutualism–parasitism continuum. By N. C. Johnson, J. H. Graham and F. A. Smith 575

Polyphosphates in the red macroalga *Chondrus crispus* (Rhodophyceae). By T. Chopin, H. Lehmal and K. Halcrow 587

The uptake of gaseous sulphur dioxide by non-gelatinous lichens. By C. Gries, M.-J. Sanz, J. G. Romagni, S. Goldsmith, U. Kuhn, J. Kesselmeier and T. H. Nash III 595

Is sclerophylly of Mediterranean evergreens an adaptation to drought?. By S. Salleo, A. Nardini and M. A. Lo Gullo 603

Mechanical impedance of root growth directly reduces leaf elongation rates of cereals. By I. M. Young, K. Montagu, J. Conroy and A. G. Bengough 613

Topological scaling and plant root system architecture: developmental and functional hierarchies. By G. M. Berntson 621

Intraspecific variation of leaf pubescence and drought response in *Encelia farinosa* associated with contrasting desert environments. By D. R. Sandquist and J. R. Ehleringer 635

Selecting for salt tolerance in white clover (*Trifolium repens*): chloride ion exclusion and its heritability. By M. E. Rogers, C. L. Noble, G. M. Halloran and M. E. Nicolas 645

Deterrence of herbivory by zinc hyperaccumulation in *Thlaspi caerulescens* (Brassicaceae). By A. J. Pollard and A. J. M. Baker 655

Physiological effects of copper on iron acquisition processes in *Plantago*. By W. Schmidt, M. Bartels, J. Tittel and C. Führer 659

Influence of cucumber mosaic virus infection on the competitive ability and reproduction of chickweed (*Stellaria media*). By N. Friess and J. Maillet 667

Water distribution in fungal lesions in the wood of sycamore, *Acer pseudoplatanus*, determined gravimetrically and using nuclear magnetic resonance imaging. By R. B. Pearce, B. J. Fisher, T. A. Carpenter and L. D. Hall 675

Plant nuclear migrations as indicators of critical interactions between resistant or susceptible cowpea epidermal cells and invasion hyphae of the cowpea rust fungus. By M. C. Heath, Z. L. Nimchuk and H. Xu 689

Changes in microtubule arrays in symbiotic orchid protocorms during fungal colonization and senescence. By Y. Uetake, M. L. Farquhar and R. L. Peterson 701

Detection of symbiosis-related polypeptides during the early stages of the establishment of arbuscular mycorrhiza between *Glomus mosseae* and *Pisum sativum* roots. By A. Samra, E. Dumas-Gaudot and S. Gianinazzi 711

Infection of mottled stripe disease-susceptible and resistant sugar cane varieties by the endophytic diazotroph *Herbaspirillum*. By F. L. Olivares, E. K. James, J. I. Baldani and J. Döbereiner 723

Effect of habitat disturbance on inoculum potential of ericoid endophytes of Western Australian heaths (Epacridaceae). By B. J. Hutton, K. W. Dixon, K. Sivasithamparam and J. S. Pate 739

Infectivity of the propagules associated with extraradical mycelia of two AM fungi following winter freezing. By H. D. Addy, M. H. Miller and R. L. Peterson 745

Xylem sap abscisic acid concentration and stomatal conductance of mycorrhizal *Vigna unguiculata* in drying soil. By R. C. Ebel, X. Duan, D. W. Still and R. M. Augé 755

Effects of liming on the uptake of organic and inorganic nitrogen by mycorrhizal (*Paxillus involutus*) and non-mycorrhizal *Pinus sylvestris* plants. By S. Andersson, H. Ek and B. Söderström 763

Survival of propagules of arbuscular mycorrhizal fungi in soils in eastern Australia used to grow cotton. By P. A. McGee, G. S. Pattinson, R. A. Heath, C. A. Newman and S. J. Allen 773

Errata 781

Reviews 783

Announcement 789